

Law Offices
ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP
Suite 1000
1725 K Street, N.W.
Washington, D.C. 20006
(202) 659-2930
Facsimile (202) 887-0357
Facsimile (202) 331-7519

FACSIMILE TRANSMISSION COVER SHEET

DATE: May 26, 2004

TO: Examiner: Kim T. Huynh
Group Art Unit: 2112

FAXED

RE: **Proposed Examiner Interview**
U.S. Patent Appln. S.N. 09/512,884
By: KASHIWAGI, et al.
Our Reference: P0353-0698-000207

FROM: George N. Stevens

NUMBER OF PAGES (INCLUDING THIS COVER SHEET): 6

FACSIMILE NUMBER: (703) 746-9224

0353.0921

TELEPHONE NUMBER: (703) 305-5384

PLEASE ACKNOWLEDGE SAFE AND CLEAR RECEIPT OF ALL PAGES BEING SENT

GNS/alw

THE INFORMATION CONTAINED IN THIS MESSAGE IS CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED. This message may also be an attorney/client communication which is privileged and confidential. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by calling us collect and return the original message to us at the above address by mail. Thank you.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of: **KASHIWAGI, et al.**

Group Art Unit: **2189**

Serial No.: **09/512,884**

Examiner: **HUYNH, Kim T.**

Filed: **February 25, 2000**

P.T.O. Confirmation No.: 7754

For: **ELECTRONIC APPARATUS AND INPUT DEVICE**

PROPOSED EXAMINER INTERVIEW

May 26, 2004

Dear Examiner Kim:

The applicant in the above referenced case desires that an Examiner Interview take place. The topics for discussion would include the following:

The primary reference Clancy et al. does not disclose or suggest that the input device can be completely detached from the space. Clancy et al. simply indicates that the input device may pop up from the space and not completely detached as required by independent claims 1 and 7-9. Specifically, independent claims 1 and 7-9 patentably distinguish over the prior art relied upon by reciting, as exemplified by claim 1,

“An electronic apparatus to which an input device is connected, comprising: a main unit; a display unit rotatably attached to the main unit; and a retaining mechanism retaining at least one portion of the input device into a space which is formed by between the display unit and the main unit when the input device is not used, wherein the input device is completely detachable from the space.” (Emphasis Added)

Therefore, the applicant must traverse the Examiner's grounds of rejection and request reconsideration.

U.S. Patent Application Serial No. 09/512,884
Amendment dated May 26, 2004
Reply to OA of September 8, 2003

We would suggest that the Telephonic Examiner Interview take place at 10AM on any day
the Examiner is available. Please call me at (202) 659-2930 to arrange the interview

Best Regards

George N. Stevens

U.S. Patent Application Serial No. 09/512,834
Amendment dated May 26, 2004
Reply to OA of September 8, 2003

Listing of Claims:

Claim 1 (currently amended): An electronic apparatus to which an input device is connected, comprising:

a main unit;

a display unit rotatably attached to the main unit; and

a retaining mechanism retaining at least one portion of the input device into a space which is formed by between the display unit and the main unit when the input device is not used,

wherein the input device is ~~removable~~ completely detachable from the space.

Claim 2 (original): The electronic apparatus as claimed in claim1, wherein the retaining mechanism comprises at least one supporting member.

Claim 3 (previously presented): The electronic apparatus as claimed in claim 1, wherein the retaining mechanism further comprises a supporting member is mounted so as to be storable in the main unit when the input device is not being stored.

Claim 4 (original): The electronic apparatus as claimed in claim 1, wherein the retaining mechanism comprises an engaging member engaging the main unit and the input device.

U.S. Patent Application Serial No. 09/512,884
Amendment dated May 26, 2004
Reply to OA of September 8, 2003

Claim 5 (previously presented): The electronic apparatus as claimed in claim 1, wherein the retaining mechanism further comprises an engaging member is mounted so as to be storable in the main unit when the input device is not being stored.

Claim 6 (original): The electronic apparatus as claimed in claim 1, further comprising:
at least one detector detecting each of a storage and a removal operation of the input device;
and
control means controlling a predetermined operation of the electronic apparatus according to a signal of the detector.

Claim 7 (currently amended): An input device detachably connected to an electric apparatus having a display unit rotatably attached to a main unit, the input device comprising: at least one engaging member engaging the main unit so that at least one portion of the input device is retained into a space which is formed between the display unit and the main unit, wherein the input device is ~~removable~~ completely detachable from the space.

Claim 8 (currently amended): An electronic apparatus, comprising:
a main unit;
a keyboard detachable from the main unit;

U.S. Patent Application Serial No. 09/512,884
Amendment dated May 26, 2004
Reply to OA of September 8, 2003

a display unit rotatably attached to the main unit, and
a supporting member rotatably mounted to the main unit to hold the keyboard against the main unit when the supporting member is lowered from the main unit the keyboard is mounted on the supporting member, wherein when the keyboard is mounted on the supporting member and the display unit is rotated down, the keyboard is disposed in a space between the display unit and the main unit, wherein the input device is ~~removable~~ completely detachable from the space.

Claim 9 (currently amended): A main unit used for an electronic apparatus to which an input device is connected, the electronic apparatus having a display unit rotatably attached to the main unit,

the main unit comprising a support member,

wherein the support member projects from a front surface of the main unit into a space formed between the display unit and the main unit, so that at least one portion of the input device is retained into the space when the input device is not used, and

wherein the input device is ~~removable~~ completely detachable from the space.